

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6247059".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:22
L2	2	L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:22
L3	0	2 and encryp\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:22
L4	0	2 and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:23
L5	0	2 and rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:25
L6	6	"6148005".pn. or "6567929".pn. or "20020114283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:32
L7	2	6 and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:30
L8	0	7 and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:30
L9	0	7 and safe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:30
L10	1	7 and rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:31

L11	1	"6567929".pn. and rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:32
S1	2	multicast\$4 with synchroniz\$ with server with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:10
S2	0	("2003/0126162").URPN.	USPAT	OR	ON	2005/02/03 14:24
S3	4548	(multicast\$ same unicast\$) synchroniz\$ with server with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:25
S4	1	(multicast\$ same unicast\$) with synchroniz\$ with server with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:25
S5	45	(multicast\$ same unicast\$) and synchroniz\$ with server with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:25
S6	39	S5 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:27
S7	36	(multicast\$4 or multi-cast\$4) with fail\$ with (unicast\$4 or uni-cast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:27
S8	39	S6 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:27
S9	24	S7 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:10
S10	0	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:27

S11	2	"20020129159".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:52
S12	0	S11 and registration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:53
S13	766148	register\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:53
S14	1	S11 and register\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:53
S15	1	S11 and register\$ and authori\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:57
S16	1	S11 and synchroni\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:12
S17	1	S11 and client with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:14
S18	1	S11 and connection with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:17
S19	1	S11 and connection with server with client with request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:18
S20	1	S11 and connect\$ with server with client with request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:32

S21	2	S11 and client with receiv\$ with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:44
S22	2	S11 and rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:45
S23	0	S11 and rate with determin\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:53
S24	1	S11 and determin\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:54
S25	0	S11 and accept\$ with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:54
S26	1	S11 and accept\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:56
S27	1	S11 and encryp\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:09
S28	9	determin\$ with weather with receiv\$ with updated with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:12
S29	3	S28 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:12
S30	1066	707/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:11

S31	7540	709/248,203,227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:11
S32	6595	S30 or S31 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:11
S33	241	determin\$ with whether with receiv\$ with updated with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:12
S34	11	S33 with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:12
S35	9	S34 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:30
S36	68	prevent\$ with receiv\$ with updated with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:29
S37	50	S36 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:32
S38	4	block\$ with receiv\$ with updated with data with already	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:30
S39	3	S38 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:30
S40	1	prevent\$ with receiv\$ with updated with data with already	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:31

S41	6	prevent\$ with receiv\$ with updated with previous\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:31
S42	4	S41 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:10
S43	9	replica with packet with lost	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:22
S44	6	S43 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:23
S45	0	replica with lost with (unicast\$4 or uni-cast\$4) with (multicast\$4 or multi-cast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:22
S46	0	replica with lost same (unicast\$4 or uni-cast\$4) with (multicast\$4 or multi-cast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:23
S47	0	replica with lost same (unicast\$4 or uni-cast\$4) same (multicast\$4 or multi-cast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:23
S48	6	recover\$ with lost same (unicast\$4 or uni-cast\$4) same (multicast\$4 or multi-cast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:40
S49	6	S48 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:43
S50	2	"20020114283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:36

S51	1	S50 and (number or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:36
S52	1	recover\$ same lost same (unicast\$4 or uni-cast\$4) same (multicast\$4 or multi-cast\$4) same (identifier or ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:43
S53	8	recover\$ same lost same (unicast\$4 or uni-cast\$4) same (multicast\$4 or multi-cast\$4) and (identifier or ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:50
S54	6	S53 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:50
S55	10	recover\$ same lost same (unicast\$4 or uni-cast\$4) same (multicast\$4 or multi-cast\$4) and ((identifier or ID) or "sequence number")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:50
S56	8	S55 and @ad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:54
S57	2	"6247059".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 18:05
S58	325	S57 and unicast\$4 or uni-cast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 18:05
S59	0	S57 and (unicast\$4 or uni-cast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:22